

HIMSS[®]18

The leading health information and technology conference

WHERE **THE WORLD** CONNECTS FOR HEALTH

Conference & Exhibition | March 5–9, 2018

Las Vegas | Venetian – Palazzo – Sands Expo Center

Integrating Evidence-Based Decision Tools within an EHR

Session 197, March 8, 2018

Dr. Kurt Hegmann, MD, MPH, Professor and Center Director, Rocky Mountain Center for Occupational and Environmental Health, University of Utah

Dr. Steven Wiesner, MD, Chief of Occupational Health, The Permanente Medical Group

COMMITMENT

www.himssconference.org



#HIMSS18

DISCLAIMER: The views and opinions expressed in this presentation are those of the author and do not necessarily represent official policy or position of HIMSS.



Conflict of Interest

Kurt Hegmann, MD MPH

Has no real or apparent conflicts of interest to report.

Steven Wiesner, MD

Has no real or apparent conflicts of interest to report.

Agenda


- Background on treatment variability
- Reasoning and use of clinical decision support (CDS) tools
- Kaiser Permanente's (KP) implementation process
- Results from KP's implementation

Learning Objectives

- Recognize current challenges to the adoption/consistent use of evidence-based practices
- Describe the process of deploying clinical decision support (CDS) tools within a large-scale, EHR system
- Discuss physician perspectives of CDS tools
- Quantify longitudinal trends in usage and loss work time after CDS integration

The Problem

- 40% of waste in health care spending from improper/over-treatment
- \$355 billion per year in waste on improper/over-treatment
- Cost variations are independent of patients health status, income, and price differences



Medicare reimbursements
per enrollee, adjusted for
price, age, sex, and race

Berwick and Hackbarth, JAMA 2012;
Sutherland et al. NEJM, 2009

Practicing Physicians Struggle to Stay Current with Best Practice Guidelines

- ~2 million scientific articles published annually
- 8-9% growth in the number of publications per year (exponential)
- 17 years = the time lag between research to practice

Bornmann, JAIST, 2015; Morris et al., JRSM 2011


Polling Question 1

Approximately, how many RCT papers are published each day?

1. 10
2. 20
3. 50
4. 100

<https://live.eventbase.com/polls?event=himss2018&polls=4267>

Number of Published Randomized Controlled Trials (RCT)



Just to keep up....

In 2015, a physician would have to read 46 RCT papers a day

Does not even include non-RCT research

<http://dan.corlan.net/medline-trend.html>

Clinical Decision Support Tools to Reduce Variations in Health Care

- Studies have shown **Clinical Decision Support (CDS) tools improve:**
 - Preventive services
 - Appropriate care
 - Clinical and cost outcomes

Murphy, YJBM, 2014

What is Clinical Decision Support?


- Many clinical users do not know the term “clinical decision support”
- CDS can contain:
 - Prescriptive/predictive analytics
 - Treatment guidelines/algorithms
 - Formulary
 - Documentation templates
 - Condition specific order sets
 - Alerts/reminders

HealthIT.gov: “What is Clinical Decision Support” 2013

Kaiser Permanente Overview

- Founded in 1945, Kaiser Permanente (KP) is one of the nation's largest not-for-profit health plans, with 208,975 employees serving 11.7 million members.

- 39 Hospitals
- 680 Medical Offices
- 21,275 Physicians
- 54,072 RNs



KP Clinicians' Request for CDS

- Ground up request for tools
- Main pain point
 - Clinicians did not know how to handle requests for “time off” from work, school, and other activities
 - 30% to 70% difference in prescribing time off across KP departments
- Practicing clinicians request real-time (while interacting with the patient) clinical support tools

Need for Enterprise-Wide Solution

- Individual with functional limitations (including work disability) contribute a disproportionate share of health care costs
- Use of “disability management” across departments needed

Gifford, “Temporarily Disabled Workers Account For A Disproportionate Share Of Health Care Payments” Health Affairs, 2017

Implementing CDS within KP's EHR



1. Past

Listen to stakeholders
Needs assessment
Garner support
CDS development



2. Present

Review results
Continued training
Gathering perspectives



3. Future

Expansion
Enhancements

Implementing CDS within KP's EHR



1. Past

Listen to stakeholders
Needs assessment
Garner support
CDS development



2. Present

Review results
Continued training
Gathering perspectives



3. Future

Expansion
Enhancements

Listened to All Stakeholders

- Treating clinicians (physicians, psychologists and NPs)
- Employer representative
- Labor representatives
- Benefit administrators (Worker Compensation carriers, Third Party Administrators, Case Managers)
- Our members/patients who requested disability documentation

Bringing Stakeholders Together: Medical Providers

- Core work group of Northern California (NCAL) Permanente Medical Group clinicians from the following specialties
 - Occupational Medicine
 - Physical Medicine and Rehabilitation
 - Mental Health
 - Adult Primary Care
 - Pediatrics
 - OB-GYN
 - Orthopedics



Surveyed KP's NCAL Clinicians

Three key questions:

1. What is your understanding of disability management to assure clinically appropriate and timely safe return to activities following an injury or illness?
2. What enhancements would you like to see to allow you to efficiently provide accurate return to activity recommendations throughout the patient's healing?
3. What other resources would be helpful to improve your patients' clinical and functional outcomes?

Polling Question 2

KP's disability mgmt training includes all items except?

1. A web-based training module
2. Physician champions
3. Nurses completing "work slips"
4. Real-time duration guidelines

<https://live.eventbase.com/polls?event=himss2018&polls=4268>

CDS Recommendations to Senior Management Based on Survey Feedback

- Disability management education and training
 - Except for two specialties (PMR and Occ Health) very few clinicians had any training
- Develop a disability documentation tool that can be efficiently completed within the EHR
- Provide readily accessible, “in-the-moment” clinical management tools, including disability duration guidelines
- On the ground clinical content experts/physician champions

Garner Support from Senior Leadership

- National KP Integrated Disability Management (IDM) Program training module
- Activity prescription form (ARx) embedded within the EHR with direct linkage source
- Integrated Disability Management Physician Advisor (IDM PA) in each region

Selecting Vendor and Contracting

- In 2008 National IDM team explores various third party vendors.
- Requirements:
 - Direct **clinical** and **disability** duration content at the point of care
 - Ease of use by the clinician and the case manager
 - Vendor to work directly with KP's National IT Department
- Independent analysis by third-party evaluator assisted in KP's choice of ReedGroup's MDGuidelines

Selecting Vendor and Contracting

- Original contract signed in 2008
- Specified clinical information collected and managed by KP
- Utilization exceeded expectations and cost structure budgeted
- Revisions to contract and a 4-year extension

Development of CDS

- ARx-v2 was an enhancement to ARx-v1, which was only used in two regions.
- ARx-v1:
 - Lacked easy transferability to other regions
 - Did not include disability duration or clinical guidance
- ARx-v2 was a national build with easy transferability to all regions
 - Reduced cost and manpower as each region did not need to recreate the wheel
 - Still allowed for regional flexibility and fine tuning

Training Occupational Health and Beyond

- The National KP Integrated Disability Management (IDM) Program developed resources:
 - Video trainings on how to use the ARx-v2
 - Instructions on how to use the MDGuidelines
 - PowerPoint decks which can be used by disability management physician champions are included
- Resources available to clinicians and case managers in all regions within KP

Training Occupational Health and Beyond

NATIONAL INTEGRATED (dis)ABILITY MANAGEMENT TEAM
SAFE ACTIVITY IS GOOD FOR HEALING

 KAISER PERMANENTE.

[Home](#) | [Why Prevent Work Disability?](#) | [Successful Outcomes](#) | [Solutions to Obstacles](#) | [Glossary](#) | [Resources](#)



The Clinician's role is
to provide activity guidance.

The Permanente Medical Groups, comprising over 15,000 health care providers, are uniquely positioned to lead the nation in the prevention of medically unnecessary work disability.

Clinician Resources for Work Disability Prevention and Management

- Why providers need training →
- Activity recommendations vs. work accommodations →
- Risk, capacity, limitations, and tolerance →
- Achieving successful outcomes →
- Stakeholder perspectives →

Exploring the ARx Video




▶ PLAY VIDEO

Using Reed Group's Disability Duration Guidelines

[View guidelines now →](#)

Rollout: Go Live Dates



Implementing CDS within KP's EHR



1. Past

Listen to stakeholders
Needs assessment
Garner support
CDS development



2. Present

Review results
Continued training
Gathering perspectives



3. Future

Expansion
Enhancements

ARx Screen Shot: Link to MDGuidelines

- Jump to disability and treatment recommendations

Enc Dx - Select max of 4		F/U Dx?	MMN Off	
<input checked="" type="checkbox"/>	DIABETES MELLITUS TYPE	<input type="checkbox"/>	2 Days	▲
<input type="checkbox"/>	SPRAIN OF ANKLE [845.00A	<input type="checkbox"/>	Multiple	
				▼

Prescriptive Analytics

MDGuidelines®

Search for a topic or medical code...



DURATION VIEWS

ICD MAPPING

CROSSWALKS

DART

FORMULARY

ATM

Primary Diagnosis

G56.00 Carpal tunnel syndrome, unspecified upper limb

Physiological View

Population View

Case View

Summary



Medical treatment, carpal tunnel syndrome.

Duration in Days

Job Class ?	Minimum	Optimum	Maximum
Sedentary	0	7	21
Light	0	7	21
Medium	0	14	28
Heavy	0	21	42
Very Heavy	0	28	63



Surgical treatment, open or endoscopic carpal tunnel release.

Duration in Days

Job Class ?	Minimum	Optimum	Maximum
Sedentary	1	7	42
Light	3	14	42
Medium	14	21	56
Heavy	21	32	84
Very Heavy	28	48	91



ARx Screen Shots: Print Out Example 1

Work
<p>OAKMD, OAKTHREE OAK (M.D.) ONCE 3801 Howe Street Oakland CA 94611-5312 Main: 752-1000X0000</p> <p>Patient Name: Mrn Rename,H Ww Encounter Date: 6/20/2012</p> <p>Please see below for this health care provider's directives and information relating to this encounter.</p> <p style="text-align: center;">Work Status Report</p> <p>Date onset of condition: Next Appointment Date: 10 Days</p> <p>DIAGNOSIS: DIABETES MELLITUS TYPE 1, UNCOMPLICATED. [250.01A] Reason for Off Work: Uncontrolled Symptoms</p> <p><u>Off Work</u> This patient is placed off work from 6/20/2012 through 6/21/2012</p>

ARx Screen Shots: Print Out Example 2

This patient is placed on modified activity at work and at home from 6/22/2012 through 6/25/2012.

If modified activity is not accommodated by the employer then this patient is considered temporarily and totally disabled from their regular work for the designated time and a separate off work order is not required.

This patient's activity is modified as follows:

- Stand: Intermittently (up to 50% of shift).
- Walk: Intermittently (up to 50% of shift).
- Bend at the waist: Occasionally (up to 25% of shift).
- Torso/spine twist: Occasionally (up to 25% of shift).
- Climb ladders: Not at all.
- Use of scaffolds/work at height: Not at all.
- Lift/carry/push/pull no more than 20 pounds.


Full Duty:

The patient was evaluated and deemed able to return to work at full capacity on 6/26/2012

This form has been electronically signed and authorized by OAKMD, OAKTHREE OAK (M.D.)

This form contains your private health information that you may choose to release to another party; please review for accuracy

Increased Usage Year Over Year



Improved Healing Time and Reduced Costs

From 2012 – 2017:

182,090
Patients Analyzed


14 Days
Average Days SHORTER than
MDGuidelines' Population
Benchmark

In 2016:

72%
Patients BEAT
MDGuidelines' Population
Benchmark

\$59MM
Costs AVOIDED by
returning patients to
activity.

Decreased RTW Durations Through Time



Implementing CDS within KP's EHR



1. Past

Listen to stakeholders
Needs assessment
Garner support
CDS development



2. Present

Review results
Continued training
Gathering perspectives



3. Future

Expansion
Enhancements

Future Work and Enhancements

- By mid-2018, all regions will have access to updated ARx-v3
- As of 2018, all regions have access to enhanced MDGuidelines content, data, and tools
 - Formulary content
 - Algorithms
 - ACOEM guidelines

Summary

- ARx-v2 implementation dependent on regional Permanente Medical Group support
- Significant documentation efficiencies created with ARx-v2
- Improved disability management/return to activity with ARx-MDGuidelines linkage
- Disability management education is the foundation
 - Having a physician champion is critical
 - Expanded video development for training use

Questions?

- Please fill out online session evaluation.
- Contact information:
 - Kurt Hegmann, Kurt.Hegmann@hsc.utah.edu
 - Steven Wiesner, Steve.Wiesner@kp.org.
<https://www.linkedin.com/in/stevewiesner/>



Please use blank slide if more space is
required for charts, graphs, etc.

To remove background graphics,
right click on selected slide,
choose "Format Background" and check
"Hide background graphics".